

10075029 1044202





FIG. 1

FIG. 2




FIG. 3




FIG.4




FIG. 5





FIG. 6

100 : AUDIO APPARATUS








FIG. 8



100000029 041202



CONTROL COMMAND	FUNCTION
COMMAND A	FM/AM SWITCHING PROCESS
COMMAND B
.	.
.	.
.	.

FIG. 10A

FIXED ALLOCATION INFORMATION TABLE

CONTROL COMMAND	OPERATION FLAG	FUNCTION 1		FUNCTION 2		FUNCTION 3		...	FUNCTION N	
		FLAG	SET VALUE	FLAG	SET VALUE	FLAG	SET VALUE		FLAG	SET VALUE
COMMAND C1	0	0	3	0	4	0	5	...	1	0
COMMAND C2	1	1	0	1	0	1	0	...	1	0
COMMAND C3	2	1	0	1	0	1	0	...	1	0

FIG. 10B

CUSTOMIZED ALLOCATION INFORMATION TABLE





FIG. 11




FIG. 12




FIG. 13



DETAILED SETTING
✕

SELECTOR
NAME EDITING

LEVEL
SETTING

DETAILED
USB SETTING

SKIN
SELECTION

CUSTOM REMOTE
CONTROL SETTING

CUSTOM REMOTE CONTROL SETTING

Functions "Custom Keys (A, B, C)" of the attached remote controller can be set from this application.

"Custom Keys" are for registering plural states of the amplifier unit including frequently used states (e.g., DSP Sound Field Program and Equalizer) and calling them by operation of the key only.


Clicking of "Setting Wizard" enters the function register picture.

SETTING WIZARD

OK

CANCEL

FIG. 14



SELECTION OF REMOTE CONTROL KEY

SELECTION OF REMOTE CONTROL KEY

☒ A

☐ B

☐ C

USE/NOT USE/TRANSMIT TO PC

☐ USE

☒ NOT USE

☐ TRANSMIT TO PC

SETTING REFERENCE VALUE

☐ CURRENT STATE

☒ REMOTE CONTROL SETTING

< BACK (B)

COMPLETE

CANCEL

FIG. 15 95

FIG. 16 96

FIG. 16

SELECTION

SELECTION

SELECTION

USE

PC - DG

PC - AN

AUX1 - DG

AUX1 - AN

AUX2

NOT CHANGE

< BACK (B)

FORWARD (N) >

CANCEL

FIG. 17 97



DSP SETTING

X

DSP MODE SETTING

☒ HALL

☐ JAZZ

☐ CHURCH

☐ GAME

☐ MOVE

☐ LIVE

☐ VDD

☐ THROUGH

☐

NOT CHANGE


< BACK (B)

FORWARD (N) >

CANCEL

FIG. 18 97

101038029_041202



DSP PARAMETER SETTING

X

DSP PARAMETER SETTING

NOT CHANGE

Effect Level

O

-

0

O

+

Room Size

O

-

0

O

+

Seat Position

O

-

0

O


+

< BACK (B)

FORWARD (N) >

CANCEL

FIG. 19 98



GRAPHIC EQUALIZER/SOUND VOLUME SETTING
✕

GRAPHIC EQUALIZER
SETTING

☒ ROCK
☐ POPS
☐ VOCAL
☐ FUSION
☐ CLASSIC
☐ USER1
☐ USER2

☒ NOT CHANGE

GRAPHIC EQUALIZER
SETTING

☒ NOT CHANGE

< BACK (B)

COMPLETE

CANCEL

FIG. 20 99



FIG. 22

10038029 0341202





FIG. 23



CONTROL COMMAND	OPERATING TIME/DATE CONDITION	OPERATION FLAG	FUNCTION 1		FUNCTION 2		...	FUNCTION N	
			FLAG	SET VALUE	FLAG	SET VALUE		FLAG	SET VALUE
COMMAND C1	WEEKDAY 9:00~20:00								
	OTHERS								
COMMAND C2	WEEKDAY 9:00~20:00								
	OTHERS								
COMMAND C3	WEEKDAY 9:00~20:00								
	OTHERS								

CUSTOMIZED ALLOCATION INFORMATION TABLE

FIG. 24






FIG. 26



RECOMMENDED SETTING①	
DSP MODE	<div>DOWNLOAD</div> <div>510</div>
DSP PARAMETER	
GRAPHIC EQUALIZER SETTING	
SOUND VOLUME SETTING	

RECOMMENDED SETTING②	
DSP MODE	<div>DOWNLOAD</div> <div>510</div>
DSP PARAMETER	
GRAPHIC EQUALIZER SETTING	
SOUND VOLUME SETTING	

RECOMMENDED SETTING③	
DSP MODE	<div>DOWNLOAD</div> <div>510</div>
DSP PARAMETER	
GRAPHIC EQUALIZER SETTING	
SOUND VOLUME SETTING	

FIG. 27

PILLSBURY WINTHROP LLP, LOS ANGELES

Serial No.: 10/038,029

Group Art Unit: 3736

Title: REMOTE CONTROL METHOD

Attorney Name: Roger R. Wise

Tel.: (213) 488-7100 Docket No.: 51270-277020

Sheet 27 of 27



DOWNLOAD OF RECOMMENDED SETTING
INFORMATION HAS BEEN COMPLETED

DO YOU WANT TO PERFORM CUSTOMIZED
FUNCTION SETTING FOR AUDIO APPARATUS
USING DOWNLOADED RECOMMENDED
SETTING INFORMATION

EXECUTE
SETTING

515

FIG. 28